Approved For Release 2000/08/28 : CIA-RDP66B00664R000300100007-0

25X1A

SECRET NOFORN

OP IM

SECTION FIVE OF EIGHT

TACKLE

25X1A

APPROXIMATELY 10.7 NM NW OF TAO-AN.

ORDNANCE TEST FACILITY COMPRISES SUPPORT COMPLEX,

EXPLOSIVES STORAGE AREA, RAIL-SERVED STORAGE FACILITY,

FIRING AREA, TEST AREA, COMMUNICATIONS FACILITY, AND

INSTRUMENTED RANGE SIMILAR TO THAT IDENTIFIED AT

TU_KO-MA-CHING TEST FACILITY, CHINA.

RAIL-SERVED SUPPORT COMPLEX CONTAINS APPROXIMATELY
132 BUILDINGS, INCLUDING 5 LARGE ADMINISTRATIVE-TYPE,
9 STORAGE-TYPE (3 RAIL SERVED), 8 LARGE SHOP-TYPE,
53 PERSONNEL-TYPE, AND 48 SUPPORT-TYPE BUILDINGS,
3 MOTOR POOLS, 7 HEATING PLANTS, AND 2 LARGE EARTHCOVERED BUNKERS.

EXPLOSIVES STORAGE AREA, APPROXIMATELY 2 NM NW OF SUPPORT COMPLEX AT 45-44-50N 122-37-00E, CONTAINS 5 LARGE AND 5 SMALL REVETTED BUILDINGS AND ONE BUILDING UNDER CONSTRUCTION. AREA IS DOUBLE FENCED WITH LIGHT POLES AND GUARD TOWERS POSITIONED ALONG PERIMETER FENCE.

FENCED, RAIL-SERVED ASSOCIATED STORAGE AREA,

APPROXIMATELY 1.5 NM SSW OF THE SUPPORT COMPLEX AT

45-42-30N 122-38-00E, CONTAINS 10 LARGE STORAGE-TYPE

AND ONE SMALL SUPPORT-TYPE BUILDING. FENCED SUPPORT
TYPE FACILITY, ADJACENT TO STORAGE AREA, CONTAINS

Approxed For Release 2000/08/28: CIA-RDP66B00664R0003

downgroding and declassification

ORDNANCE TEST FACILITY COMPRISES SUPPORT COMPLEX, EXPLOSIVES STORAGE AREA, RAIL-SERVED STORAGE FACILITY, FIRING AREA, TEST AREA, COMMUNICATIONS FACILITY, AND INSTRUMENTED RANGE SIMILAR TO THAT IDENTIFIED AT TU-KO-MA-CHING TEST FACILITY, CHINA.

RAIL-SERVED SUPPORT COMPLEX CONTAINS APPROXIMATELY

132 BUILDINGS, INCLUDING 5 LARGE ADMINISTRATIVE-TYPE,

9 STORAGE-TYPE (3 RAIL SERVED), 8 LARGE SHOP-TYPE,

53 PERSONNEL-TYPE, AND 48 SUPPORT-TYPE BUILDINGS,

3 MOTOR POOLS, 7 HEATING PLANTS, AND 2 LARGE EARTH-COVERED BUNKERS.

EXPLOSIVES STORAGE AREA, APPROXIMATELY 2 NM NW OF SUPPORT COMPLEX AT 45-44-50N 122-37-00E, CONTAINS 5 LARGE AND 5 SMALL REVETTED BUILDINGS AND ONE BUILDING UNDER CONSTRUCTION. AREA IS DOUBLE FENCED WITH LIGHT POLES AND GUARD TOWERS POSITIONED ALONG PERIMETER FENCE.

FENCED, RAIL-SERVED ASSOCIATED STORAGE AREA,

APPROXIMATELY 1.5 NM SSW OF THE SUPPORT COMPLEX AT

45-42-30N 122-38-00E, CONTAINS 10 LARGE STORAGE-TYPE

AND ONE SMALL SUPPORT-TYPE BUILDING. FENCED SUPPORT
TYPE FACILITY, ADJACENT TO STORAGE AREA, CONTAINS

HEATING PLANT, 3 BARRACKS-TYPE BUILDINGS, MESS HALL,

AND 5 OTHER BUILDINGS.

FIRING AREA CONTAINS 11 CONCRETE FIRING POSITIONS,

INCLUDING 3 OVAL EYEBALL REVETMENTS SIMILAR TO SOME

POSITIONS IDENTIFIED AT TU-KO-MA-CHING TEST FACILITY,

Approved For Release 2000/08/28: CIA-RDP66B00664R000300100007-0

Approved For Release 2000/08/28: CIA-RDP66B00664R000300100007-0

FIRING AREA CONTAINS 11 CONCRETE FIRING POSITIONS,
INCLUDING 3 OVAL EYEBALL REVETMENTS SIMILAR TO SOME
POSITIONS IDENTIFIED AT TU-KO-MA-CHING TEST FACILITY,
5 PROBABLE SHOPS AND 2 HEATING PLANTS TO THE REAR OF
THE FIRING POSITIONS, AND T-SHAPED BUILDING ENCLOSED
BY CIRCULAR EARTHEN REVETMENT HIGHER THAN THE
BUILDING. A SERIES OF TOWERS, ALSO SIMILAR TO THOSE
AT TU-KO-MA-CHING TEST FACILITY, EXTENDS APPROXIMATELY
10 NM DOWNRANGE FROM FIRING AREA.

TEST AREA, IMMEDIATELY EAST OF FIRING POSITIONS,

COMPRISES 5 SEPARATE AREAS, 4 OF WHICH CONSIST OF A

BUILDING WITH OPEN-ROOFED RECTANGULAR ANNEX MADE UP

OF A SERIES OF FRAMES OR PARTITIONS, THE LONG AXIS OF

WHICH IS ORIENTED DOWNRANGE. EXTENDING DOWNRANGE FROM

ALL 5 AREAS ARE CONCRETE ROADS OF VARYING LENGTHS ON

WHICH ARE LOCATED 3-5 TURNOUTS THAT SERVICE TARGETS OR

BILLBOARDS SIMILAR TO THOSE AT TU-KO-MA-CHING TEST

FACILITY.

SMALL COMMUNICATIONS FACILITY WITH AT LEAST 2 STICK MASTS IS LOCATED IN THE MAIN SUPPORT COMPLEX.

25X1A

LIAO-YANG ARMY BARRACKS SOUTHWEST 4114N 12307E

2 NM SW OF LIAO-YANG.

SECRET NOFORN

CFN 1097

SECTION FIVE OF EIGHT

क्राह्मा कि पर्दिश्चे se 2000/08/28 : CIA-RDP66B00664R000300100007-0

APPROXIMATELY 10.7 NM NW OF TAO-AN.

THE FERAPPROBATION Release 2000 08 P. CHAR PERSONG 4R000300100007-0
BY CIRCULAR EARTHEN REVETMENT HIGHER THAN THE
BUILDING. A SERIES OF TOWERS, ALSO SIMILAR TO THOSE
AT TU-KO-MA-CHING TEST FACILITY, EXTENDS APPROXIMATELY
10 NM DOWNRANGE FROM FIRING AREA.

TEST AREA, IMMEDIATELY EAST OF FIRING POSITIONS,
COMPRISES 5 SEPARATE AREAS, 4 OF WHICH CONSIST OF A
BUILDING WITH OPEN-ROOFED RECTANGULAR ANNEX MADE UP
OF A SERIES OF FRAMES OR PARTITIONS, THE LONG AXIS OF
WHICH IS ORIENTED DOWNRANGE. EXTENDING DOWNRANGE FROM
ALL 5 AREAS ARE CONCRETE ROADS OF VARYING LENGTHS ON
WHICH ARE LOCATED 3-5 TURNOUTS THAT SERVICE TARGETS OR
BILLBOARDS SIMILAR TO THOSE AT TU-KO-MA-CHING TEST
FACILITY.

SMALL COMMUNICATIONS FACILITY WITH AT LEAST 2 STICK MASTS IS LOCATED IN THE MAIN SUPPORT COMPLEX.

25X1A

LIAO-YANG ARMY BARRACKS SOUTHWEST 4114N 12307E

BT

900